



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

STOUT

SAFETY SHOES

SAFETY STEP INTO YOUR WORK

High performance, maximum protection
and all-day comfort for every step
you take.



MAXIMUM PROTECTION

Advanced protection
you can rely on.



SUPERIOR COMFORT

Ergonomic design for
all-day comfort.



LONG LASTING DURABILITY

Built to last in the
toughest conditions.



STOUT®
SAFETY FOOTWEAR



b2bturkeytrade.com



info@b2bturkeytrade.com



90 555 7516655



ABOUT US

Ayderin Footwear has been manufacturing occupational safety footwear since 2014 in Tuzla Leather Organized Industrial Zone. With high production capacity, advanced manufacturing technologies, and strong industry expertise, the company is positioned among the leading manufacturers in Türkiye.

With its brands STOUT, OVERGUARD, and DİP, launched in 2020, Ayderin has strengthened its product portfolio by delivering high-performance solutions focused on durability, comfort, and maximum protection.

All production processes are carried out in compliance with international standards, and products are designed and tested in accordance with relevant occupational safety regulations, primarily EN ISO 20345. The company operates in line with ISO 9001, ISO 14001 and ISO 45001 principles. All products comply with CE marking requirements.

More than 70% of production is supplied to the domestic market through an extensive dealer network and direct industrial partnerships, while the remaining is exported to international markets.

Our core business philosophy is based on sustainable quality, high performance, and long-term business partnerships.

ABOUT US

Ayderin Footwear has been manufacturing occupational safety footwear since 2014 in Tuzla Leather Organized Industrial Zone. With high production capacity, advanced manufacturing technologies, and strong industry expertise, the company is positioned among the leading manufacturers in Türkiye.

With its brands STOUT, OVERGUARD, and DİP, launched in 2020, Ayderin has strengthened its product portfolio by delivering high-performance solutions focused on durability, comfort, and maximum protection.

All production processes are carried out in compliance with international standards, and products are designed and tested in accordance with relevant occupational safety regulations, primarily EN ISO 20345. The company operates in line with ISO 9001, ISO 14001 and ISO 45001 principles. All products comply with CE marking requirements.

More than 70% of production is supplied to the domestic market through an extensive dealer network and direct industrial partnerships, while the remaining is exported to international markets.

Our core business philosophy is based on sustainable quality, high performance, and long-term business partnerships.



SUSTAINABLE QUALITY

Committed to consistent quality and continuous improvement.



HIGH PERFORMANCE

Engineered for superior protection, durability and comfort.



LONG-TERM PARTNERSHIPS

Building strong relationships based on trust, reliability and mutual success.



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR
OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

DRY 060

S1 - S1PL



(OPTIONAL)



S1



S1PL



	BRAND STOUT
	MODEL DRY 060
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Organic Natural Suede Leather, 1/8/2 mm Thickness, Laced
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces.



The lightweight and balanced design enhances mobility. It features a modern appearance and increases freedom of movement.



It combines comfort and durability for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

05



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

DRY 060

S1 - S1PL



(OPTIONAL)



S1



S1PL



	BRAND STOUT
	MODEL DRY 060
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Organic Natural Suede Leather, 1/8/2 mm Thickness, Laced
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



REINFORCED SOLE STRUCTURE

The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces.



LIGHTWEIGHT & BALANCED DESIGN

The lightweight and balanced design enhances mobility. It features a modern appearance and increases freedom of movement.



COMFORT & DURABILITY

It combines comfort and durability for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR



FUERZA

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL FUERZA
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Breathable Textile and Suede Leather, 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



OPTIMIZED FOR TOUGH CONDITIONS
The sole structure, developed for demanding conditions, provides high grip and stability.



SLIP RESISTANT & SAFE
Its slip-resistant feature ensures safe steps on all kinds of surfaces.



SHOCK ABSORBING COMFORT
The shock-absorbing sole reduces pressure on the foot, enhancing comfort.



DURABLE & LONG LASTING
Its strong and durable construction enables long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

06



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

CE

FUERZA

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL FUERZA
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Breathable Textile and Suede Leather 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Its abrasion-resistant outsole provides long-lasting durability.



ERGONOMIC DESIGN

The ergonomic design supports the foot for all-day comfort.



DURABLE CONSTRUCTION

Its robust construction adapts to intensive working conditions.

The slip-resistant sole structure provides safe and stable steps on various surfaces. Its abrasion-resistant outsole provides long-lasting durability.

The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

FUERZA

S1 - S1PL

CE



S1



S1PL



	BRAND STOUT
	MODEL FUERZA
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Breathable Textile and Suede Leather 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48

The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces. The lightweight and balanced design enhances mobility.

It combines comfort and durability for long-term use.



REINFORCED SOLE STRUCTURE

The reinforced sole structure delivers high performance in demanding environments.



SLIP RESISTANT

Its slip-resistant feature ensures safe use on both wet and dry surfaces.



LIGHTWEIGHT & COMFORTABLE

Its lightweight and balanced design enhances mobility.



SHOCK ABSORBING

The shock-absorbing structure reduces pressure on the foot.



DURABLE & LONG LASTING

It combines comfort and durability for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

CE

FUERZA

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL FUERZA
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Breathable Textile and Suede Leather 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



DURABLE OUTSOLE STRUCTURE

The durable outsole maintains its form under intensive use, ensuring long-lasting performance.



SLIP RESISTANT

Its slip-resistant feature provides strong grip on various surfaces.



FLEXIBLE & SUPPORTIVE DESIGN

The flexible structure supports natural movement and enhances comfort.



ERGONOMIC DESIGN

Its ergonomic design ensures all-day wearability.

The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces. The lightweight and balanced design enhances mobility. It combines comfort and durability for long-term use.

The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The flexible structure supports natural movement and enhances comfort. Its ergonomic design ensures all-day wearability.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



HD 52

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL HD 52
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Microfiber Textile 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



REINFORCED SOLE STRUCTURE

The reinforced sole structure delivers high performance in demanding environments.



SLIP RESISTANT

Its slip-resistant feature ensures safe use on both wet and dry surfaces.



LIGHTWEIGHT & BALANCED DESIGN

The lightweight and balanced design enhances mobility.



COMFORT & DURABILITY

It combines comfort and durability for long-term use.

The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces. The lightweight and balanced design enhances mobility. It combines comfort and durability for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

PLÜTON

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL PLÜTON
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Microfiber Textile 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Kompozit Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48

Dayanıklı dış taban yapısı, yoğun kullanım koşullarında formunu koruyarak uzun ömürlü performans sağlar. Kaydırmaz taban özelliği, farklı zeminlerde güçlü tutuş sunar. Esnek yapısı, doğal hareketi destekler ve kullanım rahatlığı sağlar. Ergonomik tasarımı ile gün boyu konfor sunar.



DURABLE OUTSOLE

The durable outsole maintains its form under intensive use, ensuring long-lasting performance.



SLIP RESISTANT

Its slip-resistant feature provides strong grip on various surfaces.



FLEXIBLE & SUPPORTIVE DESIGN

The flexible structure supports natural movement and enhances comfort.



LIGHTWEIGHT & COMFORTABLE

Its lightweight and balanced design ensures all-day wearability.



ERGONOMIC DESIGN

Its ergonomic design ensures all-day wearability and reduces foot fatigue.

The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The flexible structure supports natural movement and enhances comfort. Its ergonomic design ensures all-day wearability.

PLÜTON

S1 - S1PL

CE



S1



S1PL



	BRAND STOUT
	MODEL PLÜTON
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Microfiber Textile 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Kompozit Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole provides long-lasting durability.



ERGONOMIC DESIGN

The ergonomic design supports the foot for all-day comfort.



DURABLE CONSTRUCTION

Its robust construction adapts to intensive working conditions.

Kaydırmaz taban yapısı, farklı zemin koşullarında güvenli ve dengeli adımlar sunar. Aşınmaya karşı dirençli dış tabanı ile uzun ömürlü kullanım sağlar. Ergonomik tasarımı, ayağı destekleyerek gün boyu konfor sunar. Dayanıklı yapısı ile yoğun çalışma temposuna uyum sağlar.

The slip-resistant sole ensures safe and stable steps on various surfaces. Its abrasion-resistant outsole provides long-lasting durability. The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



PLÜTON

S1 - S1PL

CE



S1



S1PL



	BRAND STOUT
	MODEL PLÜTON
	STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER Microfiber Textile 1/8/2 mm Thickness
	LINING 250 gr / m ² AirFile
	TOE CAP Kompozit Composite
	MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



REINFORCED SOLE STRUCTURE

The reinforced sole structure delivers high performance in demanding environments.



SLIP RESISTANT

Its slip-resistant feature ensures safe use on both wet and dry surfaces.



LIGHTWEIGHT & BALANCED DESIGN

The lightweight and balanced design enhances mobility.



COMFORT & DURABILITY

Its design provides comfort and durability for long-term use.



ERGONOMIC DESIGN

Its ergonomic design ensures all-day wearability and reduces foot fatigue.

Güçlendirilmiş taban yapısı, zorlu çalışma ortamlarında yüksek performans sunar. Kaydırmaz özellik sayesinde ıslak ve kuru zeminlerde güvenli kullanım sağlar. Hafif ve dengeli tasarımı, hareket kabiliyetini artırır. Uzun süreli kullanımlarda konfor ve dayanıklılığı bir arada sunar.

The reinforced sole structure delivers high performance in demanding environments. Its slip-resistant feature ensures safe use on both wet and dry surfaces. The lightweight and balanced design enhances mobility. It combines comfort and durability for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

MN 010

S1 - S1PL



(OPTIONAL)



S1



S1PL



	BRAND STOUT
	MODEL MN 010
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The sole structure, developed for demanding conditions, provides high grip and stability.



SLIP RESISTANT

Its slip-resistant feature ensures safe steps on various surfaces.



SHOCK ABSORBING SOLE

The shock-absorbing sole reduces pressure on the foot, enhancing comfort.



DURABLE CONSTRUCTION

Its strong and durable construction enables long-term use.



ERGONOMIC DESIGN

Ergonomic design ensures all-day wearability and reduces foot fatigue.

The sole structure, developed for demanding conditions, provides high grip and stability. Its slip-resistant feature ensures safe steps. The shock-absorbing sole reduces pressure on the foot, enhancing comfort. Its strong and durable construction enables long-term use.

The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The flexible structure supports natural movement and enhances comfort. Its ergonomic design ensures all-day wearability.



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR



(OPTIONAL)



MN 010
S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL MN 010
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	SIZE RANGE 36 - 48

The sole structure, developed for demanding conditions, provides high grip and stability. Its slip-resistant feature ensures safe steps. The shock-absorbing sole reduces pressure on the foot, enhancing comfort. Its strong and durable construction enables long-term use.



SLIP RESISTANT OUTSOLE

The sole structure, developed for demanding conditions, provides high grip and stability.



SLIP RESISTANT

Its slip-resistant feature ensures safe steps on various surfaces.



SHOCK ABSORBING SOLE

The shock-absorbing sole reduces pressure on the foot, enhancing comfort.



DURABLE CONSTRUCTION

Its strong and durable construction enables long-term use.



ERGONOMIC DESIGN

Ergonomic design ensures all-day wearability and reduces foot fatigue.

The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The flexible structure supports natural movement and enhances comfort. Its ergonomic design ensures all-day wearability.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

CE

MN 010
S1PL



S1PL



	BRAND STOUT
	MODEL MN 010
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1PL
	UPPER OUTER UPPER Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



SLIP RESISTANT

Its slip-resistant feature ensures safe use on various surfaces.



ERGONOMIC DESIGN

The ergonomic design supports the foot for all-day comfort.



COMFORT & DURABILITY

Its robust construction adapts to intensive working conditions.



LIGHTWEIGHT & BALANCED

The lightweight and balanced structure reduces fatigue and improves performance.

The slip-resistant sole ensures safe and stable steps on various surfaces. Its shock-absorbing structure provides comfort for all-day use. The ergonomic design supports natural movement and enhances performance. Its durable construction adapts to intensive working conditions.

The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The ergonomic design ensures all-day wearability and reduces foot fatigue.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



TRK 80

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL TRK 80
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m2 AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE HRO Rubber Outsole, Slip Resistance
	SIZE RANGE 36 - 48



The HRO outsole provides resistance against high-temperature contact, ensuring safe use in demanding environments. Its electrical hazard protection design enhances user safety against electrical risks. The WRU water-resistant upper reduces liquid penetration, helping keep feet dry. The slip-resistant sole ensures strong grip on various surfaces and offers all-day comfort.

HRO technology increases heat resistance, allowing short-term contact with hot surfaces. The durable construction and ergonomic design reduce fatigue and provide maximum comfort throughout the day.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

CE

FALCON

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL FALCON
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Suede Leather, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



The slip-resistant and abrasion-resistant sole ensures safe use on challenging surfaces. Its lightweight design allows long-term use without fatigue. The flexible structure supports freedom of movement. It combines durability, performance, and comfort in one design.

Lightweight and ergonomic design enhances user comfort. The breathable upper structure supports foot health. Ideal for demanding work environments, it delivers reliable performance in all conditions.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

COMET

S1 - S1PL



(OPTIONAL)



S1



S1PL



	BRAND STOUT
	MODEL COMET
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Microfiber Fabric 1,8/2 mm Thickness, Breathable / Durable Microfiber Fabric, 1,8/2 mm Thickness, Drawstring / Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Slip-Resistant, Abrasion-Resistant
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole provides long-lasting durability.



LIGHTWEIGHT DESIGN

Lightweight materials reduce foot fatigue and provide all-day comfort.



ERGONOMIC STRUCTURE

Ergonomic design supports the foot structure and enhances comfort throughout the day.



BREATHABLE UPPER

Breathable upper structure keeps feet dry and provides a comfortable working environment.

The slip-resistant and abrasion-resistant sole ensures safe use on various surfaces. Its lightweight design allows long-term use without fatigue. The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.

Advanced outsole technology provides superior grip on slippery and uneven surfaces. The breathable upper structure ensures optimal air circulation, keeping feet cool and dry. The combination of safety, performance, and comfort makes it ideal for demanding work environments.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR



(OPTIONAL)



COMET

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL COMET
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Microfiber Fabric, 1,8/2 mm Thickness, Breathable / Durable Microfiber Fabric, 1,8/2 mm Thickness, Drawstring / Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Kaydırmaz, Aşınmaya Dirençli Slip-Resistant, Abrasion-Resistant
	SIZE RANGE 36 - 48

The slip-resistant sole ensures safe and stable steps on various surfaces. Its abrasion-resistant outsole provides long-lasting durability. The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole provides long-lasting durability.



LIGHTWEIGHT DESIGN

Lightweight materials reduce foot fatigue and provide all-day comfort.



ERGONOMIC STRUCTURE

Ergonomic design supports the foot structure and enhances comfort throughout the day.



BREATHABLE UPPER

Breathable upper structure keeps feet dry and provides a comfortable working environment.

Lightweight and breathable upper structure ensures comfort in long-term use. The flexible structure offers freedom of movement. The combination of safety, performance, and comfort makes it ideal for demanding work environments.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



CE

DD 52
S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL DD 52
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole provides long-lasting durability.



LIGHTWEIGHT DESIGN

Lightweight materials reduce foot fatigue and provide all-day comfort.



FLEXIBLE STRUCTURE

The flexible structure supports freedom of movement.



ERGONOMIC DESIGN

Ergonomic design supports the foot structure and enhances comfort.

The slip-resistant and abrasion-resistant sole ensures safe use on challenging surfaces. Its lightweight design allows long-term use without fatigue. The flexible structure supports freedom of movement. It combines durability, performance, and comfort in one design.

The ergonomic design supports the natural structure of the foot, offering a comfortable experience throughout the day. It is an ideal choice for demanding work environments.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655




**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



CE

LUNAR

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL LUNAR
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Microfiber Fabric, 1,8/2 mm Thickness, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE Çift Densite, SR Kaymaz, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole provides long-lasting durability.



SHOCK ABSORBING

The shock-absorbing sole reduces pressure on the foot, enhancing comfort.



ERGONOMIC STRUCTURE

Ergonomic design supports the foot structure and ensures extended comfortable use.

Zorlu çalışma koşulları için geliştirilen taban yapısı, yüksek tutuş ve denge sağlar. Kaydırmaz özelliği ile güvenli adımlar sunar. Darbe emici tabanı, ayak üzerindeki yükü azaltarak konforu artırır. Dayanıklı ve sağlam yapısı ile uzun süreli kullanım imkanı sunar.

The sole structure, developed for demanding conditions, provides high grip and stability. Its slip-resistant feature ensures safe steps. The shock-absorbing sole reduces pressure on the foot, enhancing comfort. Its strong and durable construction enables long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

22



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



DA 2534
S2 - S3L



S1



S1PL



	BRAND STOUT
	MODEL DA 2534
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE WRU Suya Dayanıklı Üst Yüzey WRU Water-Resistant Upper
	SIZE RANGE 36 - 48

Suya dayanıklı WRU üst yüzeyi, zorlu çalışma koşullarında dış etkenlere karşı koruma sağlar. Kaydırmaz taban yapısı, ıslak ve kaygan zeminlerde maksimum tutuş sunar. Aşınmaya karşı dirençli tabanı ile uzun ömürlü kullanım imkanı ile uzun ömürlü kullanım sağlar. Hafif ve dengeli yapısı ile kullanıcı konforunu artırır.



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper protects against external elements in demanding work environments.



SLIP RESISTANT OUTSOLE

The slip-resistant outsole provides maximum grip on wet and slippery surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole ensures long-lasting durability.



LIGHTWEIGHT DESIGN

Lightweight and balanced structure reduces foot fatigue and increases comfort.



COMFORT & PROTECTION

The soft and flexible design supports foot health and offers all-day comfort.

The WRU water-resistant upper protects against external elements in demanding work environments. Its slip-resistant sole provides maximum grip on wet and slippery surfaces. The abrasion-resistant outsole ensures long-lasting durability. Its lightweight and balanced structure enhances user comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR



DA 2534
S2 - S3L



S1



S1PL



BRAND | STOUT



MODEL | DA 2534



STANDARD | STANDARD
EN: ISO 20345/2022



CATEGORY | S1 - S1PL



UPPER | OUTER UPPER
Organic Natural Leather, 1,8/2 mm Thickness



LINING | INNER COUNTER
250 gr / m² AirFile



TOE CAP | TOE-CAP
Kompozit | Composite



MIDSOLE | MIDSOLE
Kevlar PL %100 Çevre Dostu
Kevlar PL 100% Environmentally Friendly



INSOLE | INSOLE
Çift Densite, Sünger Mostra, Antistatik,
Antibakteriyel, Basınç Azaltıcı
Double Density, Foam Insole, Antistatic,
Antibacterial, Pressure Reducing



OUTSOLE | OUTSOLE
WRU Suya Dayanıklı Suya Yapısı
WRU Water-Resistant Upper



SIZE RANGE | 36 - 48



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper minimizes liquid penetration from external conditions.



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole ensures long-lasting durability.



LIGHTWEIGHT DESIGN

Lightweight and balanced structure reduces foot fatigue and increases comfort.



COMFORT & PERFORMANCE

The durable construction protects performance even under intensive use. Its ergonomic design provides all-day comfort.

WRU suya dayanıklı saya yapısı, dış ortamdan gelebilecek sıvı geçişini minimize ederek ayakların kuru kalmasına yardımcı olur. Kaydırmaz taban özelliği ile farklı zemin koşullarında güvenli adımlar sunar. Dayanıklı yapısı sayesinde yoğun kullanımda dahi performansını korur. Ergonomik tasarımı ile gün boyu konfor sağlar.

The WRU water-resistant upper minimizes liquid penetration from external conditions, helping keep feet dry. Its slip-resistant sole ensures safe steps on various surfaces. The durable construction maintains performance even under intensive use. Its ergonomic design provides all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

24



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



GL 101
S3L



WRU



(OPSİYONEL)



S3L



	BRAND STOUT
	MODEL GL 101
	STANDARD STANDARD EN: ISO 20345/2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Laced Organik Doğal Cilt Deri 1,8/2 mm Kalınlık, Bağcıklı
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE WRU Suya Dayanıklı Saya Yapısı WRU Water-Resistant Upper
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper minimizes liquid penetration from external conditions.



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe steps on various surfaces.



ABRASION RESISTANT

Its abrasion-resistant outsole ensures long-lasting durability.



SHOCK ABSORBING

The shock-absorbing sole reduces pressure on the foot, enhancing comfort.



ERGONOMIC DESIGN

Ergonomic design supports the foot structure and provides all-day comfort.

WRU suya dayanıklı saya yapısı, dış ortamdan gelebilecek sıvı geçişini minimize ederek ayakların kuru kalmasına yardımcı olur. Kaydırmaz taban özelliği ile farklı zemin koşullarında güvenli adımlar sunar. Dayanıklı yapısı sayesinde yoğun kullanımda dahi performansını korur. Ergonomik tasarımı ile gün boyu konfor sağlar.

The WRU water-resistant upper minimizes liquid penetration from external conditions, helping keep feet dry. Its slip-resistant sole provides maximum grip on various surfaces. The durable construction maintains performance even under intensive use. Its ergonomic design provides all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR



WRU



EAGLE S3L



S3L



	BRAND STOUT
	MODEL EAGLE
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1.8/2 mm Thickness, Laced
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE WRU Water-Resistant Outsole
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT UPPER

The WRU upper reduces liquid absorption, allowing prolonged dry use.



SLIP RESISTANT OUTSOLE

The slip-resistant outsole provides strong grip on various surfaces.



DURABLE CONSTRUCTION

The durable construction maintains its shape even under demanding conditions.



COMFORT & CONTROL

The high-density material structure supports balance and control.



ERGONOMIC DESIGN

Its comfort-focused design provides ease throughout the day.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



GL 110 S3L



(OPTIONAL)



WRU



S3L



	BRAND STOUT
	MODEL GL 110
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Laced
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE OUTSOLE SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



The durable outsole maintains its form under intensive use, ensuring long-lasting performance. Its slip-resistant feature provides strong grip on various surfaces. The flexible structure supports natural movement and enhances comfort. Its ergonomic design ensures all-day wearability.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

İDL 16 S3L



HRO



WRU



S3L



	BRAND STOUT
	MODEL İDL 16
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Laced
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Kauçuk - HRO, PU Çift Densite, SR Kaymaz, HI, CI, HRO, LG Dış Taban Merdiven Kavrama Özelliği Rubber - HRO, PU Dual Density, SR Non-Slip, HI, CI, HRO, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



HRO HEAT RESISTANT OUTSOLE

The HRO outsole ensures durability on surfaces exposed to high heat, preventing performance loss.



ELECTRICAL HAZARD PROTECTION

The electrical hazard protection structure provides insulation against electric currents.



WRU WATER-RESISTANT UPPER

The WRU water-resistant feature protects against external elements.



DURABLE & SAFE

With its durable and stable sole construction, it offers safe and comfortable experience for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

CE

LUNAR

S1 - S1PL



S1



S1PL



	BRAND STOUT
	MODEL LUNAR
	STANDARD EN ISO 20345:2022
	CATEGORY S1 - S1PL
	UPPER OUTER UPPER Microfiber Fabric, 1.8/2 mm Thickness, Textured Microfiber Fabric, 1.8/2 mm Thickness, Drawstring / Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Double Density, SR Non-Slip, LG Outsole with Stair Grip Feature
	SIZE RANGE 36 - 48



DURABLE PROTECTION

The durable construction maintains its form under intense use, ensuring long-lasting performance.



SLIP RESISTANT OUTSOLE

The slip-resistant outsole provides strong grip on various surfaces.



LIGHTWEIGHT & COMFORTABLE

Lightweight materials and ergonomic design provide all-day comfort.



NATURAL MOVEMENT SUPPORT

The flexible structure supports natural movement and enhances comfort.



SAFE & RELIABLE

Designed to protect feet in challenging work conditions with its reliable features.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

29



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

HSN 54

S3L



HRO



WRU



S3L



	BRAND STOUT
	MODEL HSN 54
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Double Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



HEAT RESISTANT HRO OUTSOLE

The HRO outsole technology enables safe movement on hot surfaces.



ELECTRICAL HAZARD PROTECTION

The protective structure against electric risks ensures a high level of safety.



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper minimizes water and liquid penetration.



SLIP RESISTANT OUTSOLE

The slip-resistant design improves balance and control on challenging surfaces.



DURABLE & COMFORTABLE

Its durable construction and ergonomic design enhance comfort during long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

30



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

ADP 17 S3L



WRU



(OPTIONAL)



S3L



	BRAND STOUT
	MODEL ADP 17
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper protects against external elements in demanding work environments.



SLIP RESISTANT OUTSOLE

Its slip-resistant sole provides maximum grip on wet and slippery surfaces.



ABRASION RESISTANT OUTSOLE

The abrasion-resistant outsole ensures long-lasting durability.



LIGHTWEIGHT & COMFORTABLE

Its lightweight and balanced structure enhances user comfort even during long hours of use.



SAFE & DURABLE

It offers both safety and durability together with its protective structure and high quality materials.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

31



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

ADP 17 S3L



WRU



(OPTIONAL)



S3L



	BRAND STOUT
	MODEL ADP 17
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT UPPER

The WRU water-resistant upper protects against external elements in demanding work environments.



SLIP RESISTANT OUTSOLE

Its slip-resistant sole provides maximum grip on wet and slippery surfaces.



ABRASION RESISTANT OUTSOLE

The abrasion-resistant outsole ensures long-lasting durability.



LIGHTWEIGHT & COMFORTABLE

Its lightweight and balanced structure enhances user comfort even during long hours of use.



SAFE & DURABLE

It offers both safety and durability together with its protective structure and high quality materials.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

31



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



ADP 17

S3L



(OPTIONAL)



S3L



	BRAND STOUT
	MODEL ADP 17
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostrâ, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT OUTER SURFACE

The WRU outer surface provides extra protection against moisture and liquids during work.



ELECTRICAL HAZARD PROTECTION (OPTIONAL)

Protects against electrical risks in low voltage environments (optional feature).



SLIP RESISTANT OUTSOLE

Its slip-resistant sole technology ensures safe walking and solid ground grip.



DURABLE CONSTRUCTION

The flexible structure supports ease of movement and long-lasting durability.



COMFORTABLE & SUPPORTIVE

Its ergonomic design and lightweight structure provide all-day comfort.



ADDITIONAL PROTECTION

Front and rear toe protection and supportive structure increase safety in demanding work conditions.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



**B2B
TURKEY TRADE**

Your Trusted Partner for
Turkish Quality Worldwide

SAFETY FOOTWEAR

OCCUPATIONAL SAFETY SHOES



STOUT
SAFETY FOOTWEAR

EPL 5463

S3L



WRU



(OPTIONAL)



S3L



	BRAND STOUT
	MODEL EPL 5463
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER-RESISTANT UPPER

WRU suya dayanıklı sayı, dış etkenlere karşı direnç sağlayarak ayak konforunu korur.

The WRU water-resistant upper resists external elements while maintaining foot comfort.



ELECTRICAL HAZARD PROTECTION (OPTIONAL)

Düşük voltajlı elektrik risklerine karşı koruma sağlar (opsiyonel özellik).

Protects against electrical risks in low voltage environments (optional feature).



SLIP RESISTANT OUTSOLE

Kaydırmaz ve darbe emici taban yapısı, zorlu zeminlerde güvenli kullanım sunar.

The slip-resistant and shock-absorbing sole ensures safe use in demanding environments.



DURABLE CONSTRUCTION

Dayanıklı malzeme yapısı ile uzun ömürlü performans sağlar.

The durable design provides long-lasting performance.



ERGONOMIC COMFORT

Ergonomik formu ile ayağı destekleyerek gün boyu konfor sunar.

Its ergonomic form supports the foot for all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

34



B2B
TURKEY TRADE

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



EPL 5463

S3L



WRU



(OPTIONAL)



S3L



	BRAND STOUT
	MODEL EPL 5463
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1.8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

The WRU water-resistant upper minimizes liquid penetration from external conditions, keeping feet dry.



ELECTRICAL HAZARD PROTECTION (OPTIONAL)

Protects against electrical risks in low voltage environments (optional feature).



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe steps on various surfaces.



DURABLE CONSTRUCTION

The durable construction maintains high performance even under intensive use.



ERGONOMIC DESIGN

Its ergonomic form provides all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



STOUT
SAFETY FOOTWEAR

EPL 5463

S3L



WRU



S3L



	BRAND STOUT
	MODEL EPL 5463
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Environmentally Friendly Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Dual Density, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

The WRU water-resistant upper protects against external elements while keeping feet dry.



ELECTRICAL HAZARD PROTECTION (OPTIONAL)

Protects against electrical risks in low voltage environments (optional feature).



SLIP RESISTANT OUTSOLE

The slip-resistant sole provides maximum grip on wet and slippery surfaces.



DURABLE CONSTRUCTION

The durable construction maintains high performance even under intensive use.



ERGONOMIC DESIGN

Its ergonomic form provides all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

36



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



EPL 5463

S3L



WRU



S3L



	BRAND STOUT
	MODEL EPL 5463
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1.8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Dual Density, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

The WRU upper reduces liquid absorption, allowing prolonged dry use in wet conditions.



SLIP RESISTANT OUTSOLE

Its slip-resistant outsole provides strong grip and stability on various surfaces.



DURABLE CONSTRUCTION

High quality materials ensure long-lasting performance even in demanding work environments.



COMFORT & ERGONOMICS

Ergonomic design and cushioned support provide all-day comfort and reduce fatigue.



ALL-DAY PROTECTION

Protects your feet with advanced features, ensuring safety and confidence throughout the day.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



STOUT
SAFETY FOOTWEAR

DRS 64
S3L



HRO



WRU



S3L



	BRAND STOUT
	MODEL DRS 64
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Double Density, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



HRO HEAT-RESISTANT OUTSOLE

The HRO outsole offers resistance to high-temperature contact and helps prevent deformation caused by hot surfaces.



ELECTRICAL HAZARD PROTECTION

Its electrical hazard protection feature ensures safety against electrical dangers.



WRU WATER-RESISTANT UPPER

The WRU water-resistant surface provides additional resistance to external conditions.



DURABLE & ERGONOMIC DESIGN

Its ergonomic design delivers comfort and support throughout the day.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

38

**B2B
TURKEY TRADE**

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT

**DRS 64
S3L****HRO****WRU****S3L**

	BRAND STOUT
	MODEL DRS 64
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48

**HRO HEAT RESISTANT OUTSOLE**

The HRO outsole ensures durability on surfaces exposed to high heat, preventing performance loss.

**WRU WATER RESISTANT UPPER**

The WRU water-resistant upper protects against water penetration and external moisture, keeping feet dry.

**ELECTRICAL HAZARD PROTECTION**

Its electrical hazard protection structure provides insulation against electric currents and reduces the risk of electric shock.

**DURABLE CONSTRUCTION**

High quality materials and strong construction deliver long-lasting performance in demanding environments.

**ERGONOMIC DESIGN**

Its ergonomic design offers a safe and comfortable experience for long-term use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



STOUT
SAFETY FOOTWEAR

DRS 64
S3L



HRO



WRU



S3L



	BRAND STOUT
	MODEL DRS 64
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 – 48



HRO HEAT RESISTANT OUTSOLE

The HRO outsole technology ensures durability on hot surfaces, preventing performance loss.



WRU WATER RESISTANT UPPER

The WRU water-resistant upper provides high protection against water, keeping your feet dry.



ELECTRICAL HAZARD PROTECTION

Its electrical hazard protection structure reduces the risk of electric shock.



SLIP RESISTANT OUTSOLE

The slip-resistant sole design improves balance and control on challenging surfaces.



ERGONOMIC DESIGN

The heat-resistant design combined with lightweight structure provides all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



DRS 64
S3L



HRO



WRU



S3L



	BRAND STOUT
	MODEL DRS 64
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1.8/2 mm Thickness, Front and Rear Toe Protection, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 – 48



HRO HEAT RESISTANT OUTSOLE

The HRO outsole offers resistance to high-temperature contact and helps prevent deformation caused by hot surfaces.



WRU WATER RESISTANT UPPER

The WRU water-resistant upper protects against water penetration and external moisture.



ELECTRICAL HAZARD PROTECTION

Its electrical hazard protection structure provides insulation against electric currents and reduces the risk of electric shock.



DURABLE CONSTRUCTION

High quality materials and strong construction deliver long-lasting performance in demanding environments.



ERGONOMIC DESIGN

Its ergonomic design delivers comfort and support throughout the day.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



AGD 96

S3L



S3L



	BRAND STOUT
	MODEL AGD 96
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

The WRU water-resistant outer surface protects against water penetration and keeps feet dry during work.



FRONT TOE PROTECTION

Additional protection on the front toe area enhances safety against impacts and compression.



SLIP RESISTANT OUTSOLE

Special outsole design provides excellent grip on wet, oily and slippery surfaces.



COMFORT & DURABILITY

Ergonomic structure offers all-day comfort with high durability for extended use.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



DMP 110

S3L



S3L



	BRAND STOUT
	MODEL DMP 110
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

The WRU water-resistant upper protects against water penetration and keeps feet dry during work.



HRO HEAT RESISTANT OUTSOLE

The HRO outsole maintains its performance on hot surfaces and reduces the risk of heat-related damage.



ELECTRICAL HAZARD PROTECTION

Its electrical hazard protection features enhance safety in high-risk environments.



SLIP & ABRASION RESISTANT OUTSOLE

The slip-resistant and abrasion-resistant sole provides excellent grip and long-lasting durability.



COMFORT & DURABILITY

Ergonomic design, high-quality materials and shock-absorbing structure ensure all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

43



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



KA 505

S3L



S3L



BRAND | STOUT



MODEL | KA 505



STANDARD | EN ISO 20345:2022



CATEGORY | S3L



UPPER | OUTER UPPER
Organic Natural Leather, 1,8/2 mm Thickness,
Front and Rear Toe Protection, Velcro



LINING | INNER COUNTER
250 gr / m² AirFile



TOE CAP | TOE-CAP
Kompozit | Composite



MIDSOLE | MIDSOLE
Kevlar PL %100 Çevre Dostu
Kevlar PL 100% Environmentally Friendly



INSOLE | INSOLE
Çift Densite, Sünger Mostra, Antistatik,
Antibakteriyel, Basınç Azaltıcı
Double Density, Foam Insole, Antistatic,
Antibacterial, Pressure Reducing



OUTSOLE | BASE
Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği
Dual Density, SR, LG Outsole Stair Grip Feature



SIZE RANGE | 36 – 48



WRU WATER RESISTANT UPPER

The WRU water-resistant upper protects against water penetration and external elements.



HRO HEAT RESISTANT OUTSOLE

The HRO outsole maintains high performance on hot surfaces and reduces the risk of heat-related damage.



SLIP & ABRASION RESISTANT

The slip-resistant and abrasion-resistant sole provides excellent grip and long-lasting durability.



COMFORT & ERGONOMIC DESIGN

The ergonomic form and shock-absorbing sole support the foot and provide all-day comfort.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

**B2B
TURKEY TRADE**

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT

**STOUT**
SAFETY FOOTWEAR**MRT 71
S3L****WRU****HRO****S3L**

	BRAND STOUT
	MODEL MRT 71
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organic Natural Leather, 1,8/2 mm Thickness, Front and Rear Toe Protection, Velcro
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE HRO, PU Çift Densite, SR Kaymaz, HI, CI, LG Dış Taban Merdiven Kavrama Özelliği HRO, PU Dual Density, SR Non-Slip, HI, CI, LG Outsole Stair Grip Feature
	SIZE RANGE 36 – 48

**WRU WATER RESISTANT UPPER**

The WRU water-resistant upper protects against water penetration and external elements.

**HRO HEAT RESISTANT OUTSOLE**

The HRO outsole maintains high performance on hot surfaces and ensures safe use.

**ELECTRICAL HAZARD PROTECTION**

Its electrical hazard protection design enhances safety in high-risk environments.

**VELCRO DESIGN**

Practical Velcro closure provides quick and secure fit, offering ease of use.

**SLIP & ABRASION RESISTANT**

The slip-resistant and abrasion-resistant sole offers strong grip and long-lasting durability.

**COMFORT & ERGONOMIC DESIGN**

Ergonomic structure supports foot comfort and reduces fatigue during long working hours.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



PLANETA S3L



WRU



S3L



	BRAND STOUT
	MODEL PLANETA
	STANDARD EN ISO 20345:2022
	CATEGORY S3L
	UPPER OUTER UPPER Organik Doğal Cilt Deri 1,8/2 mm Kalınlık, Bağcıklı Organic Natural Leather, 1,8/2 mm Thickness, Laced
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



WRU WATER RESISTANT UPPER

Suya dayanıklı WRU dış yüzeyi, çalışma sırasında oluşabilecek nem ve sıvıya karşı ekstra koruma sağlar.
The WRU water-resistant outer surface provides extra protection against moisture and liquids during work.



SLIP RESISTANT OUTSOLE

Kaydırmaz taban teknolojisi ile güvenli yürüyüş ve sağlam zemin tutuşu sunar.
The slip-resistant sole technology ensures safe walking and solid ground grip.



COMPOSITE TOE CAP

Hafif kompozit burun koruması darbeye karşı üstün koruma sağlar.
Lightweight composite toe cap offers superior impact protection.



ANTI-STATIC & COMFORT

Antistatik ve basınç azaltıcı taban yapısı ile gün boyu konfor ve güvenlik sağlar.
Antistatic and pressure-reducing insole structure ensures all-day comfort and safety.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



PLANETA 02



WRU



02



BRAND | STOUT



MODEL | PLANETA



STANDARD | EN ISO 20345:2022



CATEGORY | 02



UPPER | OUTER UPPER
Organic Natural Leather, 1,8/2 mm Thickness, Laced



LINING | INNER COUNTER
250 gr / m² AirFile



TOE CAP | TOE-CAP
Composite



MIDSOLE | MIDSOLE
Kevlar PL %100 Environmentally Friendly



INSOLE | INSOLE
Double Density, Foam Insole, Antistatic,
Antibacterial, Pressure Reducing



OUTSOLE | BASE
Dual Density, SR, LG Outsole Stair Grip Feature



SIZE RANGE | 36 - 48



WRU WATER RESISTANT UPPER

The WRU water-resistant upper protects against moisture and liquids during work.



SLIP RESISTANT OUTSOLE

The slip-resistant and shock-absorbing sole ensures safe walking and solid ground grip.



DURABLE & ERGONOMIC DESIGN

The durable design provides long-lasting performance. Its ergonomic form supports the foot for all-day comfort.





B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



HD 1936

02

CE



02



	BRAND STOUT
	MODEL HD 1936
	STANDARD EN ISO 20345:2022
	CATEGORY 02
	UPPER OUTER UPPER Organic Natural Leather + Textile / Summer 1,8/2 mm Thickness, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Its abrasion-resistant outsole provides long-lasting durability.



ERGONOMIC DESIGN & COMFORT

The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

48



B2B
TURKEY TRADE
b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT



HD 1936
02

CE



02



	BRAND STOUT
	MODEL HD 1936
	STANDARD EN ISO 20345:2022
	CATEGORY 02
	UPPER OUTER UPPER Organic Natural Leather + Textile Summer 1/8/2 mm Thickness, Lace-up
	LINING INNER COUNTER 250 gr / m ² AirFile
	TOE CAP TOE-CAP Kompozit Composite
	MIDSOLE MIDSOLE Kevlar PL %100 Çevre Dostu Kevlar PL 100% Environmentally Friendly
	INSOLE INSOLE Çift Densite, Sünger Mostra, Antistatik, Antibakteriyel, Basınç Azaltıcı Double Density, Foam Insole, Antistatic, Antibacterial, Pressure Reducing
	OUTSOLE BASE Çift Densite, SR, LG Dış Taban Merdiven Kavrama Özelliği Dual Density, SR, LG Outsole Stair Grip Feature
	SIZE RANGE 36 - 48



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Its abrasion-resistant outsole provides long-lasting durability.



ERGONOMIC DESIGN & COMFORT

The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

**B2B****TURKEY TRADE**

b2bturkeytrade.com

SAFETY FOOTWEAR

RELIABLE PROTECTION, ALL-DAY COMFORT

**STOUT**
SAFETY FOOTWEAR

WRU



OUTDOOR BOOT

02**02**

WRU WATER RESISTANT UPPER

WRU water-resistant upper keeps your feet dry and protected even in wet conditions.



SLIP RESISTANT OUTSOLE

The slip-resistant sole ensures safe and stable steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Its abrasion-resistant outsole provides long-lasting durability.



ERGONOMIC DESIGN & COMFORT

The ergonomic design supports the foot for all-day comfort. Its robust construction adapts to intensive working conditions.

**BRAND** | STOUT**MODEL** | OUTDOOR BOOT**STANDARD** | EN ISO 20345:2022**CATEGORY** | 02**UPPER** | OUTER UPPER

Nubuck Leather, 1,8/2 mm Thickness, Lace-up
Nubuck Leather, 1,8/2 mm Thickness, Lace-up

**LINING** | INNER COUNTER

Waterproof Sock System

**TOE CAP** | TOE-CAP

Composite

**INSOLE** | INSOLE

HRO, PU Double Density, SR Non-Slip,
HI, CI, LG Outsole Stair Grip Feature

**OUTSOLE** | BASE

Dual Density, SR, LG Outsole Stair Grip Feature

**SIZE RANGE** | 36 - 48

b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655

50



B2B
TURKEY TRADE
b2bturkeytrade.com



STEP INTO SAFETY WITH EVERY STEP

SAFETY STEP INTO
YOUR WORK



WATER RESISTANT UPPER

Keeps your feet dry and protected even in wet conditions.



SLIP RESISTANT OUTSOLE

Ensures safe and stable steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Provides long-lasting durability.



ERGONOMIC DESIGN & COMFORT

Supports the foot for all-day comfort.



COMPOSITE TOE CAP

Lightweight protection



COMFORTABLE INSOLE

Shock absorption and support



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655



B2B
TURKEY TRADE
b2bturkeytrade.com



STEP INTO SAFETY WITH EVERY STEP

RELIABLE PROTECTION,
ALL-DAY COMFORT



WATER RESISTANT UPPER

Keeps your feet dry and
protected even in wet
conditions.



SLIP RESISTANT OUTSOLE

Ensures safe and stable
steps on various surfaces.



ABRASION RESISTANT OUTSOLE

Provides long-lasting
durability.



ERGONOMIC DESIGN & COMFORT

Supports the foot for
all-day comfort.



WRU



CERTIFIED



b2bturkeytrade.com



info@b2bturkeytrade.com



+90 555 751 6655